




574 WEST OTTERMAN STREET POST OFFICE BOX 70 GREENSBURG, PA 15601-0070

TELEPHONE: 724-834-7300 FAX: 724-830-2871

# MODEL NO. 469312 / UL FIRE RATED / STC 46 / FLUSH SOUND CONTROL DOOR AND FRAME ASSEMBLY / SINGLE MAGNETIC GASKETS



### **PUBLIC SIDE ELEVATION**


RIGHT HAND REVERSE BEVEL SHOWN

#### NOTES:

- All exposed surfaces of door and frame to receive one coat of rust inhibitive prime paint.
- 2. Door bottom requires flush level sealing surface. Wood, aluminum, or stainless steel threshold recommended. Do not seal against carpet.
- 3. Frame is equipped with Overly single magnetic seals at head and jambs. Door is equipped with an Overly Super "H" door bottom.
- 4. Door weight is 10.0 pounds per square foot.
- Door can be equipped with standard builders hardware, Customer to specify. Concealed hardware is not recommended for acoustical doors.
- 6. Frames equipped with masonry anchors must be grouted full in field. Bolt-in type frames must be grouted full in field. Bolt-in type frames must have all voids in head and jambs packed with 6 to 12 pound density mineral wool and all voids between wall and frame continuously caulked.
- UL fire labels available in compliance with UL10B and UL10C/UBC7-2. Consult factory for specifics.
- Unit tested as single door at Riverbank Acoustical Laboratories. Results are described in Test Report No. TL93-12 with sound transmission results as shown in chart below.
- 9. Door construction is covered by US Patent No. 5,417,029.





(KEY) SIDE
PUBLIC AREA (EXTERIOR)



#### TYPICAL EDGE CONSTRUCTION

ABOVE AND BELOW LOCK AND HINGE CUTOUTS





#### VERTICAL SECTION

## HORIZONTAL SECTION

	SOUND TRANSMISSION LOSS IN dB AT FREQUENCY / HERTZ																	
	100	125	160	200	250	315	400	500	630	800	1000	1250	1600	2000	2500	3150	4000	5000
	27	30	37	37	39	37	40	43	45	45	45	47	49	51	53	53	55	59
ENGD-046 Rev#0 11/04	4/2003	•																

ALL DIMENSIONS BOTH IN INCHES AND MILLIMETERS