SERIES






POST OFFICE BOX 70 GREENSBURG, PA 15601-0070 724-834-7300 TELEPHONE: 724-830-2871 FAX:

EMAIL: overly@overly.com

MODEL NO. 490462 / UL FIRE RATED / STC 49 / DUAL GLAZED SOUND CONTROL DOOR AND FRAME ASSEMBLY / DUAL MAGNETIC GASKETS




PUBLIC SIDE ELEVATION

RIGHT HAND REVERSE BEVEL SHOWN

NOTES:

- 1. All exposed surfaces of door and frame to receive one coat of rust inhibitive prime paint.
- Door bottom requires flush level sealing surface. Wood, aluminum, or stainless 2. steel threshold recommended. Do not seal against carpet.
- Frame is equipped with Overly dual magnetic seals at head and jambs. Door is equipped with an Overly Super "H" door bottom.
- 4. Door weight is 14.80 pounds per square foot.
- 5. Door can be equipped with standard builders hardware, Customer to specify. Concealed hardware is not recommended for acoustical doors.
- Frames equipped with masonry anchors must be grouted full in field. Bolt-in type 6. frames must have all voids in head and jambs packed with 6 to 12 pound density mineral wool and all voids between wall and frame continuously caulked.
- 7. UL fire labels available in compliance with UL10C. Consult factory for specifics.
- Door tested acoustically with 300 square inch vision light. Customer to specify 8.
- Unit tested as single door at Riverbank Acoustical Laboratories. Results are described in Test Report No. TL04-62 with sound transmission results as shown in chart below
- 10. The panel on the interior side of the door is factory recessed to accommodate cylindrical locksets. Mortise locksets require extension of push side cylinders, spindles, and thru-bolt screws.
- 11. Door construction is covered by US Patent No. 5,417,029.



HORIZONTAL SECTION

VERTICAL SECTION

SOUND TRANSMISSION LOSS IN dB AT FREQUENCY / HERTZ																	
100	125	160	200	250	315	400	500	630	800	1000	1250	1600	2000	2500	3150	4000	5000
32	26	31	37	40	44	45	46	48	49	49	51	53	56	58	60	61	62
2/2022																	